


SNAPPER®

PRO 8 MID-SIZE MOWERS GEAR DRIVE SERIES 0




PL8140KVE
PL8180KE
PPU140KO
PPU140KVE
PPU140KW
PPU140R
PPU180KE
PMA360
PMA480
PMA520
PMA610
PMA8480
PMA8520
PMA8610

IT IS THE POLICY OF SNAPPER TO IMPROVE ITS PRODUCTS WHENEVER IT IS POSSIBLE AND PRACTICAL TO DO SO. WE RESERVE THE RIGHT TO MAKE CHANGES OR ADD IMPROVEMENTS AT ANY TIME WITHOUT INCURRING ANY OBLIGATION TO MAKE SUCH CHANGES ON PRODUCTS MANUFACTURED PREVIOUSLY.


SNAPPER®McDonough, GA., 30253 U.S.A.

COMPONENTS LOCATION




© Copyright 1990 by SNAPPER POWER EQUIPMENT. Printed in the United States of America. All rights reserved. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited.

FUEL TANK ASSEMBLY



| ITEM | PART NO. | DESCRIPTION |
|------|----------|--|
| 1 | 1-9186 | TANK, Fuel |
| 2 | 1-4363 | GAS CAP |
| 3 | 3-2875 | STRAP, Tank (2) |
| 4 | 9-1052 | SCREW, Machine Head Phillips, #10 - 24 x 2 (2) |
| 5 | 9-1053 | NUT, Keps #10 - 24 (2) |
| 6 | 1-2222 | HOSE CLAMP (6) |
| 7 | 3-2956 | FUEL LINE, 10" (18 HP) |
| - | 7-7351 | FUEL LINE, 3 1/2" (18 HP) |
| - | 2-3479 | FUEL LINE, 16" (18 HP) |
| - | 3-2956 | FUEL LINE, 10" (14 HP) (2) |
| - | 3-2038 | FUEL LINE, 5" (14 HP) |
| 8 | 1-6325 | FUEL SHUT-OFF VALVE |
| 9 | 1-4359 | FILTER, In-Line |
| 10 | 1-4375 | CLAMP |
| 11 | 9-0594 | NUT, #10 - 24 Lock (2) |


REAR DECK, BRAKE, TRACTION & REVERSE ARM ASSEMBLIES - 36,48,52 and 61



REAR DECK, BRAKE, TRACTION & REVERSE ARM ASSEMBLIES - 36,48,52 and 61


| ITEM | PART NO. | DESCRIPTION |
|------|----------|---|
| 1 | 1-3946 | WHEEL, Retainer, 3/8" (6) |
| 2 | 1-6886 | ROD, Brake (2) |
| 3 | 1-7048 | BAND, Brake, 6" (2) |
| 4 | 3-2903 | PLATE, Brake Link (2) |
| 5 | 4-0622 | LINK, Brake (2) |
| 6 | 4-0634 | LEVER, Brake, R.H. |
| -- | 4-0633 | LEVER, Brake, L.H. (Not Shown) |
| 7 | 7-6998 | FITTING, Grease, 1/4-28 Straight (6) |
| 8 | 9-1043 | BUSHING, Machinery, 5/8" (12) |
| 9 | 9-1040 | RETAINER, 5/8" Bolt (2) |
| 10 | 1-6561 | BUSHING, Machinery, 1" (4) |
| 11 | 1-2730 | RING, 1" External Retaining (2) |
| 12 | 4-0616 | WELDMENT, Rear Deck (For Reference Only) |
| 13 | 4-7952 | WELDMENT, Axle |
| 14 | 9-0563 | SCREW, 3/8-16 x 1" Hex Head Cap, Grade 5 (4) |
| 15 | 7-6979 | NUT, 3/8-16 Hex Nyloc (12) |
| 16 | 7-7882 | SNAP BUSHING |
| 17 | 1-9146 | PULLEY, Output (2) |
| 18 | 1-2063 | WASHER, 3/8" Cone (2) |
| 19 | 7-7748 | SCREW, 3/8-24 x 3/4" Hex Head Cap, Grade 5 (2) |
| 20 | 1-7053 | BELT, Traction (2) |
| -- | 5-1967 | ARM, Traction Assembly, R.H. (Incl. Items 21 thru 35) |
| 21 | 1-6158 | SPRING, Traction (2) |
| 22 | 2-4239 | PULLEY, Idler (2) |
| 23 | 1-7780 | SWIVEL, Brake Link (2) |
| 24 | 2-2083 | SPACER, Guide (2) |
| 25 | 2-3652 | ARM, Idler Bracket, R.H. |
| -- | 1-9177 | ARM, Idler Bracket, L.H. (Not Shown) |
| 26 | 9-0692 | WASHER, 5/16" Flat (4) |
| 27 | 1-7781 | SWIVEL, Traction (2) |
| 28 | 3-2868 | GUIDE, Belt Forward (2) |
| 29 | 4-0619 | ARM, Traction, R.H. |
| -- | 4-0618 | ARM, Traction, L.H. (Not Shown) |
| 30 | 9-1049 | WING NUT, 3/8-16 Nyloc (6) |
| 31 | 9-0118 | WASHER, 3/8" Split Lock (2) |
| 32 | 9-0289 | NUT, 3/8-24 Hex Center Lock (6) |
| 33 | 9-0499 | NUT, 3/8-16 Hex Top Lock (4) |
| 34 | 9-0517 | WASHER, 3/8" Flat (22) |
| 35 | 9-1119 | SCREW, 3/8-16 x 3-1/2" Hex Head Cap, Grade 5 (2) |
| 36 | 1-6459 | RETAINER, Ring (4) |
| 37 | 2-3664 | STUD, Fender Mt. (4) |
| 38 | 9-0053 | WASHER, 1/4" Internal Tooth Lock (6) |
| 39 | 1-6562 | SHOULDER BOLT, 5/16-18 (2) |
| 40 | 9-0717 | NUT, 5/16-18 Hex Nyloc (2) |
| 41 | 1-7108 | SPRING, Bracket Link (2) |
| 42 | 1-6164 | FENDER, R.H. |
| -- | 1-6165 | FENDER, L.H. (Not Shown) |
| 43 | 4-0711 | WELDMENT, Brake Stud (2) |
| 44 | 9-0588 | BOLT, 3/8-16 x 2" Hex Head, Grade 5 (4) |
| 45 | 9-0130 | NUT, 3/8-16 Hex (2) |
| 46 | 9-0372 | NUT, 1/4-20 Hex Center Lock, Grade B or 5 (2) |
| 47 | 1-9288 | BELT GUIDE, Traction (2) |
| 48 | 9-0063 | NUT, 1/4-20 Hex (2) |
| 49 | 9-0587 | BOLT, 3/8-16 x 1-1/4" Hex, Grade 5 (2) |
| 50 | 9-0548 | SCREW, 1/4-20 x 1" Hex Head Cap, Grade 5 (2) |
| 51 | 4-0627 | SCRAPER, Wheel (2) |
| 52 | 7-7250 | SPRING (2) |
| 53 | 1-6170 | SWIVEL, Reverse (2) |
| 54 | 1-9225 | PULLEY, Idler (2) |
| 55 | 4-0621 | ARM, Reverse, R.H. |
| -- | 4-0620 | ARM, Reverse, L.H. (Not Shown) |
| 56 | 9-0870 | RING, 3/8" External Retaining (2) |

14 HP ENGINE SUBASSEMBLY




| ITEM | PART NO. | DESCRIPTION |
|------|----------|---|
| 1 | 1-6901 | ENGINE, 14 H.P. Kohler |
| 2 | 1-7143 | PIPE, Oil Drain |
| 3 | 1-7163 | MUFFLER GROUP, 14 H.P. Kohler |
| 4 | 9-1113 | SCREW, M6 x 16mm Hex Cap (2) |
| 5 | 1-7420 | ELBOW, 3/8" Street 90° |
| 6 | 9-0187 | WASHER, 5/16" Lock (4) |
| 7 | 7-7692 | BOLT, M8 1.25 x .25, Tap, Gr. 5 (4) |
| 8 | 1-6373 | CONTROL, Throttle |
| 9 | 9-0307 | SCREW, #10 C x 1/2, Hex, Self-Tapping (2) |
| 10 | 1-7814 | CAP, Oil Drain |

18 HP ENGINE SUBASSEMBLY



| ITEM | PART NO. | DESCRIPTION |
|------|----------|---|
| 1 | 1-6478 | ENGINE, 18 H.P. Kohler |
| 2 | 9-1066 | SCREW, 5/16 C x 1 1/2, Hex Cap, Gr. 5 (4) |
| 3 | 9-0717 | NUT, 5/16 - 18 Lock (4) |
| 4 | 1-6510 | THROTTLE, 18 H.P. Kohler |
| 5 | 9-0307 | SCREW, HWST #10 x 1/2 (2) |
| 6 | 1-7783 | TUBE, Oil Drain |
| 7 | 1-6511 | CHOKE ASSEMBLY |
| 8 | 1-7814 | CAP, Oil Drain |


REAR DECK, TRANSMISSION & TRANSMISSION SHIFT ASSEMBLIES - 36,48,52 and 61



REAR DECK, TRANSMISSION & TRANSMISSION SHIFT ASSEMBLIES- 36,48,52 and 61

| ITEM | PART NO. | DESCRIPTION |
|------|----------|---|
| 1 | 1-7049 | TRANSMISSION |
| 2 | 9-1029 | SCREW, M10- 1.5 x 55 Hex Head Cap |
| -- | 9-1028 | SCREW, 7/16-20 x 2-1/4" Hex Head Cap, Grade 5 |
| 3 | 1-9187 | MOUNT, Shift Pivot (2) |
| 4 | 9-0362 | SCREW, 1/4-20 x 5/8" Hex Washer Self-Tap (4) |
| 5 | 1-9147 | SPACER, Transmission (2) |
| 6 | 9-0692 | WASHER, 5/16" Flat (16) |
| 7 | 9-0145 | SCREW, 5/16-18 x 5" Hex Head Cap, Grade 5 (4) |
| 8 | 9-0717 | NUT, 5/16-18 Nyloc (17) |
| 9 | 9-0072 | SCREW, 1/4-20 x 5/8" Hex Head Cap, Grade 5 (4) |
| 10 | 7-6978 | NUT, 1/4-20 Hex Nyloc (4) |
| 11 | 5-7587 | ASSEMBLY, Linkage (Incl. Items 12 thru 16) (2) |
| 12 | 1-6319 | BALL JOINT, 5/16" F, R.H. |
| 13 | 1-6320 | BALL JOINT, 5/16" F, L.H. |
| 14 | 1-6321 | TURNBUCKLE, 5/16" F |
| 15 | 7-7697 | NUT, 5/16-24 Hex Jam |
| 16 | 9-1073 | NUT, 5/16-24 Hex Jam L.H. |
| 17 | 2-3789 | ARM, Transmission Shift |
| 18 | 4-0624 | HANDLE, Shift |
| 19 | 9-0187 | WASHER, 5/16" Split Lock (8) |
| 20 | 9-0223 | NUT, 5/16-24 Hex (4) |
| 21 | 9-1030 | BUSHING, Machinery, 1/2" (5) |
| 22 | 4-0626 | PIVOT, Transmission Shift |
| 23 | 7-6998 | FITTING, 1/4-28 Straight, Grease |
| 24 | 1-4341 | RING, External Retaining (3) |
| 25 | 1-1016 | BEARING, Nylon (3) |
| 26 | 3-2874 | BELT GUIDE |
| 27 | 1-7765 | STRIP, Rubber |
| 28 | 1-1791 | RETAINER, 5/16" Bolt (4) |
| 29 | 9-0053 | WASHER, 1/4" Internal Tooth Lock |
| 30 | 7-7882 | BUSHING, Snap |
| 31 | 9-1102 | WASHER, 1/4" Bellville |
| 32 | 9-0247 | WASHER, 7/16" Split Lock |
| 33 | 9-0100 | SCREW, 1/4-28 x 5/8" Hex Head Cap, Grade 5 (2) |
| 34 | 3-8452 | ARM, Clutch |
| 35 | 1-9376 | BALL, Knob |
| 36 | 9-0844 | PIN, 3/16" x 3/4" Roll |
| 37 | 1-6985 | BRACKET, Tank |
| 38 | 1-6183 | DECAL, Shift |
| 39 | 1-6296 | STRIP, Quadrant |
| 40 | 9-0853 | SCREW, #10-24 x 1/2" Hex Washer Self-Tap (4) |
| 41 | 7-6934 | SCREW, 5/16-18 x 3/4" Hex Head Cap, Grade 5 (4) |
| 42 | 9-0383 | BOLT, 5/16-18 x 1" Short Neck Carriage, Grade 5 (4) |
| 43 | 9-1046 | SCREW, 5/16-18 x 2-1/2" Hex Head Cap, Grade 5 (4) |

REAR DECK, TRANSMISSION & TRANSMISSION SHIFT ASSEMBLIES - 36,48,52 and 61 (continued)




REAR DECK, TRANSMISSION & TRANSMISSION SHIFT ASSEMBLIES- 36,48,52 and 61 (continued)

| ITEM | PART NO. | DESCRIPTION |
|------|----------|--|
| 44 | 1-6986 | QUADRANT, Shift |
| 45 | 9-0563 | SCREW, 3/8-16 x 1" Hex Head Cap, Grade 5 (4) |
| 46 | 9-0517 | WASHER, 3/8" Flat (5) |
| 47 | 7-6979 | NUT, 3/8-16 Hex Nyloc (6) |
| -- | 5-1972 | IDLER, Transmission Asy (Incl. Items 48 thru 54) |
| 48 | 1-6157 | PULLEY, Idler |
| 49 | 3-2868 | BELT GUIDE, Idler |
| 50 | 4-0625 | IDLER, Transmission |
| 51 | 7-6979 | NUT, 3/8-16 Hex Nyloc |
| 52 | 7-6998 | FITTING, 1/4" Straight Lube |
| 53 | 9-0517 | WASHER, 3/8" Flat (3) |
| 54 | 9-0588 | BOLT, 3/8-16 x 2" Hex Head, Grade 5 |
| 55 | 1-7163 | SPACER, Pivot |
| 56 | 9-1044 | SCREW, 3/8-16 x 3-1/4" Hex Head Cap, Grade 5 |
| 57 | 4-0616 | DECK, Rear |
| 58 | 1-6159 | SPRING, Transmission |
| 59 | 1-6562 | BOLT, 5/16-18 Shoulder |
| 60 | 1-6561 | BUSHING, Machinery, 1" (2) |
| 61 | 1-9164 | PULLEY, Transmission |
| 62 | 7-6992 | KEY, Woodruff, #61/605 |
| 63 | 9-0356 | NUT, 5/8-18 Hex Center Lock Jam |
| 64 | 1-9132 | BELT, Transmission |
| 65 | 3-1964 | BELT GUIDE |
| 66 | 9-0603 | TAP BOLT, 3/8-16 x 7/8" |
| 67 | 1-6147 | SPACER, LT 16 |
| 68 | 1-9188 | KEY, 1/4" Square |
| 69 | 3-2873 | STOP, Clutch (2) |
| 70 | 1-9148 | PULLEY, Engine/Transmission |
| 71 | 1-7782 | SPACER, Clutch |
| 72 | 1-7063 | CLUTCH, Electric |
| 73 | 1-7063 | KIT, Electric Clutch (Incl. Items 74 thru 78) |
| 74 | 1-6254 | FIELD COIL (Includes ball Bearing) |
| 75 | 1-6255 | ROTOR |
| 76 | 1-6256 | ASSEMBLY, Arm-Pulley (Includes Ball Bearing) |
| 77 | 9-0854 | NUT, 3/8-24 Hex Nyloc (3) |
| 78 | 1-4950 | COIL SPRING (3) |

PEERLESS TRANSAXLE


Model 820-017



| ITEM NO. | PEERLESS PART NO. | DESCRIPTION |
|-----------------|--------------------------|--|
| 1 | 770103 | CASE, Transaxle |
| 2 | 778275 | GEAR, Spur (19 Teeth) |
| 2A | 778199 | GEAR, Spur (15 Teeth) |
| 3 | 778257 | GEAR, Spur (23 Teeth) |
| 4 | 778201 | GEAR, Spur (25 Teeth) |
| 5 | 778202 | GEAR, Spur (28 Teeth) |
| 6 | 778208 | GEAR, Spur (31 Teeth) |
| 7 | 778209 | GEAR, Spur (19 Teeth) |
| 8 | 778203A | GEAR, Spur (22 Teeth) |
| 9 | 778204A | GEAR, Spur (25 Teeth) |
| 10 | 778256A | GEAR, Spur (27 Teeth) |
| 11 | 778206A | GEAR, Spur (35 Teeth) |
| 12 | 778246 | GEAR, Bevel (33 Teeth) |
| 13 | 784352 | COLLAR, Shift |
| 14 | 786123 | SPROCKET (18 Teeth) |
| 15 | 786082 | SPROCKET (9 Teeth) |
| 16 | 776276 | SHAFT, Counter |
| 17 | 778245 | BEVEL PINION, Input (13 Teeth) |
| 18 | 786121 | SPACER, Neutral (.350/.340 Thick) |
| 18A | 786122 | SPACER, Neutral (.276/.268 Thick) |
| 19 | 776318 | SHAFT, Output |
| 20 | 778276 | GEAR, Output (31 Teeth) |
| 21 | 778273 | GEAR, Spur (19 Teeth) |
| 22 | 792136 | KEY (4) |
| 23 | 780084 | BEARING, Thrust |
| 24 | 780051 | WASHER, Thrust |
| 25 | 788040 | RING, Retaining |
| 26 | 780051 | WASHER, Thrust (2) |
| 27 | 780071 | BEARING, Thrust |
| 28 | 786081 | CHAIN, Roller (No. 41 Chain, 24 Links) |
| 29 | 780072 | WASHER, Thrust (3) |
| 30 | 780155 | BEARING, Needle |
| 31 | 792077 | BALL, Steel |
| 32A | 780109 | WASHER, Thrust |
| 33 | 792078 | SCREW, Set, 3/8-16 x 3/8 |
| 34 | 792079 | SPRING |
| 35 | 792073 | SCREW, Flanged Hex Hd. Threadforming, 1/4-20 x 1-1/4 (2) |
| 35A | 792129 | SCREW, Hex Hd. Threadforming, 5/16 - 18 x 1-1/4 (17) |
| 36 | 780108 | WASHER, Thrust (4) |
| 37 | 780119 | BEARING, Ball |
| 38 | 780128 | WASHER, Thrust (2) |
| 39 | 780050 | BEARING, Ball (2) |
| 40 | 780165 | WASHER, Flat |
| 41 | 788077 | "O" Ring |
| 42 | 788042 | SEAL, Oil |
| 43 | 780166 | WASHER, Cupped |
| 44 | 786131 | CAP, Bearing |
| 47 | 772097A | COVER, Transaxle |

PEERLESS TRANSAXLE

Model 820-017 (continued)




PEERLESS TRANSAXLE

Model 820-017 (continued)

| ITEM NO. | PEERLESS PART NO. | DESCRIPTION |
|----------|-------------------|-------------------------------|
| 48 | 784359 | ROD & FORK ASSY., Shift |
| 49 | 776316 | SHAFT, Input |
| 50 | 776317 | SHAFT, Brake |
| 56 | 792018 | RING, Snap |
| 59 | 786072 | SPACER |
| 60 | 786071 | SPACER |
| 61 | 780045 | WASHER, Thrust (2) |
| 62 | 786148 | SPACER |
| 63 | 778274 | GEAR, Spur (27 Teeth) |
| 64 | 792113 | RING, Retaining (2) |
| 65 | 792114 | KEY, Woodruff |
| 66 | 780090 | WASHER, Thrust |
| 67 | 788075 | RING, Retaining |
| 68 | 788072 | SEAL, Rubber |
| 69 | 774892 | AXLE (22-5/8" Long) |
| 71 | 792074 | PLUG, Hex Hd., 9/16-18 Thread |
| 72 | 792140 | PLUG, Expansion |
| 76 | 780153 | WASHER |
| 77 | 786129 | SLEEVE (2) |
| 79 | 780152 | BEARING, Needle (Capped) (2) |
| 80 | 792001 | "O" RING (4) |
| 81 | 786142 | SLEEVE (Stepped) (2) |
| 82 | 788071 | RING, Square Cut (2) |
| 83 | 780049 | BEARING, Needle (Capped) (2) |
| 84 | 786128 | SLEEVE (2) |
| 85 | 780151 | BEARING, Needle (Capped) (2) |
| 86 | 786145 | SLEEVE (Stepped) |
| 87 | 788070 | RING, Square Cut |
| 88 | 780002 | BUSHING |


UPPER HANDLE, PARK BRAKE, TRACTION LEVER & BAIL ASSEMBLIES



UPPER HANDLE, PARK BRAKE, TRACTION LEVER & BAIL ASSEMBLIES

| ITEM | PART NO. | DESCRIPTION |
|------|----------|---|
| 1 | 4-0617 | HANDLE, Top |
| 2 | 2-3670 | BUSHING, Brake Lever |
| 3 | 5-9782 | LEVER, Park Assembly (Includes Items 4 thru 10) |
| 4 | 1-6961 | SPRING |
| 5 | 1-6837 | PIN, .19 x 1.13 Gr. |
| 6 | 1-6161 | GRIP, Park Brake |
| 7 | 1-6208 | KNOB, Brake Release |
| 8 | 2-7705 | RELEASE, Brake |
| 9 | 4-9801 | LEVER, Brake |
| 10 | 7-6998 | ZERK, 1/4" - 28, Straight (3) |
| 11 | 3-3285 | BRACKET, Brake Lever |
| 12 | 1-6209 | SPACER, Park Brake (2) |
| 13 | 9-0639 | BOLT, 1/4" - 20 x 1 1/2, Gr. 5, Hex (3) |
| 14 | 7-6978 | NUT, 1/4" C, Nylon Lock (6) |
| 15 | 7-6979 | NUT, 3/8" - 16 Hex Nylon Ring (4) |
| 16 | 4-9802 | LEVER, Traction, Left |
| 17 | 1-6210 | GRIP, Traction (2) |
| 18 | 9-0053 | WASHER, 1/4" Int. Tooth (3) |
| 19 | 9-0563 | SCREW, 3/8" - 16 x 1" Hex Head Cap Gr. 5 (4) |
| 20 | 4-9803 | LEVER, Traction, Right |
| 21 | 9-1050 | BUSHING, Machinery, 3/4" |
| 22 | 2-7708 | ROD, Pivot |
| 23 | 9-1030 | BUSHING, Machinery, 1/2" (6) |
| 24 | 3-8448 | BRACKET, Pivot (2) |
| 25 | 9-0072 | SCREW, 1/4" C x 5/8, Gr. 5, Hex Cap (4) |
| 26 | 1-7154 | SPRING |
| 27 | 5-9779 | BAIL, Reverse (Includes Item 28) |
| 28 | 1-6212 | DECAL, Reverse Bail |
| 29 | 1-1879 | GRIP |
| 30 | 1-4341 | RETAINING RING (2) |
| 31 | 1-7323 | SPRING, Neutral |
| 32 | 1-7322 | LEVER, Neutral |
| 33 | 1-7162 | BAIL, OPC |
| 34 | 3-3146 | LATCH, Neutral |
| 35 | 9-1112 | NUT, 1/4 - 20 Hex Jam (4) |
| 36 | 1-6229 | ROD, Traction (2) |
| 37 | 9-0517 | FLATWASHER, 3/8" (6) |
| 38 | 1-6459 | RETAINER (4) |
| 39 | 1-6230 | ROD, Reverse Traction (2) |
| 40 | 1-6170 | SWIVEL, Reverse (2) |
| 41 | 9-0870 | RETAINING RING (2) |
| 42 | 1-7768 | RETAINER, 3/4 |
| 43 | 1-7155 | SPRING, Park Brake |
| 44 | 3-3146 | LATCH, Neutral |
| 45 | 1-7322 | LEVER, Neutral |
| 46 | 1-7323 | SPRING, Neutral |
| 47 | 1-1879 | GRIP |
| 48 | 1-7154 | SPRING |


WIRING HARNESS ASSEMBLY



WIRING HARNESS ASSEMBLY

| ITEM | PART NO. | DESCRIPTION |
|------|----------|--|
| 1 | 1-3941 | CIRCUIT BREAKER (Includes Items 2 and 3) |
| 2 | 9-0013 | NUT, #10 - 32 (2) |
| 3 | 9-0011 | LOCKWASHER, #10, Internal Tooth (2) |
| 4 | 9-0610 | MACHINE SCREW, #10 - 24 x 1/2 (2) |
| 5 | 9-1053 | NUT, Keps, #10 - 24 (2) |
| 6 | 1-5277 | HOURMETER, LT |
| 7 | 9-0925 | NUT, MS #6 - 32 (2) |
| 8 | 9-0926 | WASHER, #6, Internal Tooth (2) |
| 9 | 9-0927 | MACHINE SCREW, #6 C x 1/2, Round Head (2) |
| 10 | 1-7742 | HARNESS WIRING |
| 11 | 1-2080 | CABLE TIE (5) |
| 12 | 1-5098 | CLIP NUT (4) |
| 13 | 1-2685 | NUT, 5/8" - 32 |
| 14 | 1-2686 | NUT, 1/2" - 27, HT |
| 15 | 1-8562 | KEY SWITCH |
| 16 | 2-3187 | SWITCH - ROCKER SPST |
| 17 | 1-9545 | TOGGLE SWITCH |
| 18 | 3-6340 | PANEL, Rear |
| 19 | 9-0880 | WASHER, 5/8", Internal Tooth |
| 20 | 1-9098 | SWITCH (2) |
| 21 | 7-7873 | SCREW, #12 - 14 x 1/2, Hex Flat Head, Self-Tapping (4) |
| 22 | 9-1056 | CLIP NUT (2) |
| 23 | 9-0307 | SCREW, #10 C x 1/2, Hex, Self-Tapping (6) |
| 24 | 1-5664 | CLIP, Headlight (4) |
| 25 | 1-6221 | LIGHT, Head (2) |
| 26 | 2-3504 | KEY |
| 27 | 1-6475 | MODULE |
| 28 | 1-8828 | MOUNTING BEZEL (2) |
| 29 | 3-6341 | PANEL, Front |
| 30 | 9-0063 | NUT, 1/4" Hex C (2) |
| 31 | 1-8604 | SOLENOID |
| 32 | 1-6498 | CABLE, Solenoid 6" (14 HP Kohler/18 HP Kohler) |
| 33 | 2-3149 | CABLE, 28" (14 HP Kohler) |
| - | 1-6835 | CABLE, 13" (18 HP Kohler) |
| 34 | 1-6835 | CABLE, 13" (14 HP Kohler/18 HP Kohler) |
| 35 | 1-6836 | CABLE, 23" (14 HP Kohler/18 HP Kohler) |
| 36 | 1-7740 | HARNESS (14 HP Kohler) |
| - | 1-7741 | HARNESS (18 HP Kohler) |
| 37 | 9-0053 | WASHER, 1/4" Int. Tooth Lock (3) |
| 38 | 1-4451 | WIRE TIE (14 HP Kohler) (2) |

BATTERY & BATTERY MOUNT ASSEMBLY




ITEM PART NO.

DESCRIPTION


| | | |
|----|--------|--|
| 1 | 1-3533 | BATTERY, 12 Volt |
| 2 | 3-2964 | BOX, Battery |
| 3 | 7-6978 | NUT, 1/4" - 20 Hex Nylon Lock (2) |
| 4 | 9-1087 | SCREW, 1/4" - 20 x 5 3/4" Lg. Hex Head Cap |
| 5 | 7-6934 | SCREW, 5/16" - 18 x 3/4" Lg. (7) |
| 6 | 9-0717 | NUT, 5/16" - 18 Hex Lock (7) |
| 7 | 3-2960 | BRACKET, Battery Mount |
| 8 | 1-7370 | COVER, Battery |
| 9 | 1-8604 | SOLENOID, 12V LT |
| 10 | 9-0072 | SCREW, 1/4" - 20 x 5/8" Lg. Hex Head Cap (2) |
| 11 | 9-0583 | NUT, 1/4" - 20 Hex Nylon Lock (2) |
| 12 | 3-2965 | SHIELD, Heat (18 HP Kohler) |
| 13 | 1-6496 | STRIP, Rubber (2) |

CASTER WHEEL ASSEMBLY



| ITEM | PART NO. | DESCRIPTION |
|------|----------|---|
| - | 5-2086 | ASSEMBLY, Caster (36" Deck Only) (Includes Items 1, 2 & 3) |
| - | 5-2083 | ASSEMBLY, Caster (48", 52" & 61" Decks) (Includes Items 1, 2 & 3) |
| 1 | 4-0678 | SUPPORT, Caster (36" Deck Only) (Includes Items 2 & 3) |
| 1 | 4-9798 | SUPPORT, Caster (48", 52" & 61" Decks) (Includes Items 2 & 3) |
| 2 | 2-3556 | BUSHING, Flange (2) |
| 3 | 7-6998 | ZERK, 1/8" NPT Straight |
| 4 | 2-3747 | BUSHING, Machinery, 1" |
| 5 | 2-1960 | BUSHING |
| 6 | 1-9152 | SPACER, Caster |
| 7 | 4-9805 | YOKE, Caster |
| 8 | 1-7711 | PIN, Lynch 7/16 |
| 9 | 9-1050 | BUSHING, Machinery, 3/4" |
| 10 | 9-0603 | SCREW, Hex Cap |
| 11 | 9-0118 | LOCKWASHER, 3/8" |
| 12 | 9-0517 | FLATWASHER, 3/8" |
| 13 | 1-9289 | MOUNT, Caster Axle |
| 14 | 1-6460 | AXLE, Caster |
| 15 | 1-2705 | E-RING |
| 16 | 5-2085 | WHEEL & TIRE ASSEMBLY (Includes Items 17, 18 & 19) |
| 17 | 1-7786 | BEARING, Flange, 3/4" (2) |
| 18 | 1-7785 | ROLLER BEARING, 3/4" x 1" (2) |
| 19 | 1-7784 | TIRE, 4-Ply Smooth Tread |


36" MOWER, FRONT DECK



36" MOWER, FRONT DECK

| ITEM | PART NO. | DESCRIPTION |
|------|----------|--|
| 1 | 5-2440 | HOOD w/DECALS 36 |
| 2 | 1-9248 | CAP, Spindle (2) |
| 3 | 3-3189 | HANDLE, Hood (2) |
| 4 | 9-0072 | SCREW, Hex Head Cap 1/4 - 20 x 5/8 (6) |
| 5 | 7-6978 | NUT, 1/4 - 20 Nyloc Hex (6) |
| 6 | 1-7821 | DECAL, 36 Hood |
| 7 | 1-3010 | WARNING DECAL |
| 8 | 1-6906 | DECAL, Pro 36 |
| 9 | 4-0658 | IDLER, Weldment |
| 10 | 1-9160 | PULLEY, Idler |
| 11 | 9-0655 | SCREW, Hex Head Cap 3/8 - 16 x 1 1/2 (2) |
| 12 | 9-0118 | WASHER, Lock 3/8 (3) |
| 13 | 9-0517 | WASHER, Flat 3/8 (7) |
| 14 | 9-1047 | WASHER, Flat 1 1/2 O.D. (2) |
| 15 | 1-6458 | BUMPER, Snubber |
| 16 | 1-6457 | SPACER, Snubber |
| 17 | 7-6998 | ZERK, 1/4 - 28 |
| 18 | 1-9317 | PULLEY, w/Set Screws (2) |
| 19 | 3-8624 | BELT, Engine Blade |
| 20 | 7-6980 | NUT, 5/8 - 18 Hex (2) |
| 21 | 1-6375 | KEY, Spindle (2) |
| 22 | 9-0613 | NUT, 3/8 - 16 Flange Lock (5) |
| 23 | 1-2125 | STUD, Spring Holder |
| 24 | 1-6432 | SPRING, Idler |
| 25 | 3-2948 | BRACKET, Snubber |
| 26 | 4-0646 | DECK Weldment, 36" |
| 27 | 7-6533 | DECAL, "CAUTION" |
| 28 | 4-0657 | DEFLECTOR, CHUTE |
| 29 | 1-9096 | CAP, CUTTER HOUSING (4) |
| 30 | 9-1034 | SCREW, Self-Tapping 10 - 24 x 1/2 (12) |
| 31 | 2-3548 | RING, Retaining (4) |
| 32 | 1-9125 | BEARING, Single Seal (4) |
| 33 | 2-2158 | HOUSING, Cutter (2) |
| 34 | 7-6997 | ZERK, 1/8 NPT (2) |
| 35 | 7-6979 | NUT, 3/8" - 16 Nylon Ring Hex (8) |
| 36 | 1-9189 | SPINDLE, Cutter (2) |
| 37 | 7-6436 | SPACER, Blade (8) |
| 38 | 1-7037 | BLADE, 18 High Lift (2) |
| 39 | 1-6440 | WASHER, 5/8 Bevel (2) |
| 40 | 1-6447 | SCREW, Hex Head Cap 5/8 - 18 x 7 1/2 (2) |
| 41 | 9-0563 | SCREW, 3/8" - 16 x 1" Hex Head Cap Gr. 5 (3) |
| 42 | 3-3221 | SHIELD, Muffler |
| 43 | 9-0717 | NUT, 5/16 - 18 Nyloc Hex (2) |
| 44 | 2-3747 | BUSHING, Machine |
| 45 | 1-6173 | SPACER, Pivot |
| 46 | 9-1044 | SCREW, Hex Head Cap 3/8 - 16 x 3 1/4 |
| 47 | 5-2369 | HOUSING, Cutter Assembly (Includes Items 29 thru 34, 36) |
| 48 | 7-6941 | SCREW, 3/8" - 16 x 1 1/4" Hex Head Cap (8) |
| 49 | 9-1111 | SCREW, 3/8" - 16 x 1 3/4" Hex Head Cap Gr. 8 |
| 50 | 1-6561 | BUSHING, 14 GA Machine |
| 51 | 1-3946 | RETAINER, 3/8" WHL |
| 52 | 9-0252 | LOCKWASHER, 1/2" (6) |
| 53 | 9-1132 | TAP BOLT, 3/8" X 5" (2) |
| 54 | 9-0258 | NUT, 1/2" - 13 Hex (6) |
| 55 | 9-1049 | NUT, 3/8" - 16 Nylon Ring Wing (2) |
| 56 | 9-0622 | BOLT, 1/2" - 13 x 1 1/4" Hex Flange Lock (6) |


48" MOWER, FRONT DECK



48" MOWER, FRONT DECK

| ITEM | PART NO. | DESCRIPTION |
|------|----------|---|
| 1 | 5-2441 | HOOD w/DECALS 48 |
| 2 | 1-9248 | CAP, Spindle (3) |
| 3 | 9-1049 | NUT, 3/8" - 16 Wing (3) |
| 4 | 9-1111 | SCREW, 3/8" - 16 x 1 3/4" Hex Head Cap (2) |
| 5 | 1-9160 | PULLEY, Idler (2) |
| 6 | 1-9317 | PULLEY, w/Set Screws (2) |
| 7 | 1-9320 | PULLEY, Double w/Set Screws |
| 8 | 3-8624 | BELT, Engine to Deck |
| 9 | 1-9205 | BELT, Cutter Spindle |
| 10 | 3-3189 | HANDLE, Hood (2) |
| 11 | 9-1044 | SCREW, 3/8" - 26 x 3 1/4" Gr. 5 Hex Head Cap (2) |
| 12 | 1-6172 | ROD, Belt Adjusting (2) |
| 13 | 4-0655 | ARM, Engine to Deck Idler Weldment |
| 14 | 9-0118 | WASHER, 3/8" Lock (14) |
| 15 | 7-6978 | NUT, 1/4" - 20 Nylon Ring Hex Lock (6) |
| 16 | 9-0072 | SCREW, 1/4" - 20 x 5/8" Gr. 5 Hex Head Cap (4) |
| 17 | 1-6173 | SPACER, Pivot |
| 18 | 9-0613 | NUT, 3/8" - 16 Hex Flange Lock (5) |
| 19 | 9-0517 | WASHER, 3/8" Flat (4) |
| 20 | 7-6533 | DECAL, Caution |
| 21 | 9-0258 | NUT, 1/2" - 13 Hex (6) |
| 22 | 9-0252 | WASHER, 1/2" Lock (6) |
| 23 | 4-0654 | ARM, Blade to Blade Idler Weldment |
| 24 | 9-1132 | TAP BOLT, 3/8" x 5" (2) |
| 25 | 1-6909 | DECAL, Pro 48 |
| 26 | 9-1131 | TAP BOLT, 3/8" x 4" |
| 27 | 3-2957 | SKIRT, Front L.H. |
| 28 | 3-2958 | SKIRT, Front R.H. |
| 29 | 9-1086 | SCREW, 3/8" - 16 x 3/4" Gr. 5 Hex Head Cap (8) |
| 30 | 9-1047 | WASHER, Flat (8) |
| 31 | 1-9096 | CAP, Cutter Housing (6) |
| 32 | 9-1034 | SCREW, #10 - 24 x 1/2" Self-Tapping (18) |
| 33 | 2-3548 | RING, Retaining (6) |
| 34 | 1-9125 | BEARING, Single Seal (6) |
| 35 | 2-2158 | HOUSING, Cutter (3) |
| 36 | 7-6997 | ZERK, 1/8" NPT (3) |
| 37 | 7-6979 | NUT, 3/8" - 16 Nylon Ring Hex (12) |
| 38 | 1-9189 | SPINDLE, Cutter (3) |
| 39 | 7-6436 | SPACER, Blade (12) |
| 40 | 1-7043 | BLADE, 16 1/2" High Lift (3) |
| 41 | 1-6440 | WASHER, 5/8" Bevel (3) |
| 42 | 1-6447 | SCREW, 5/8" - 18 x 8 1/2" Gr. 5 Hex Head Cap (3) |
| 43 | 4-0647 | DECK, 48" Mowing |
| 44 | 4-0659 | DEFLECTOR, Chute |
| 45 | 9-0563 | SCREW, 3/8" - 16 x 1" Gr. 5 Hex Head Cap (2) |
| 46 | 1-3010 | WARNING DECAL |
| 47 | 1-7822 | DECAL, 48 Hood |
| 48 | 5-2569 | HOUSING, Assembly Cutter (Includes Items 31 thru 36 & 38) |
| 49 | 7-6941 | SCREW, 3/8" - 16 x 1 1/4" Hex Head Cap (12) |
| 50 | 1-6375 | KEY, Spindle (3) |
| 51 | 9-0622 | BOLT, 1/2" - 13 x 1 1/4" Hex Flange Lock (6) |
| 52 | 7-6980 | NUT, 5/8" - 18 Hex |
| 53 | 1-3946 | RETAINER, 3/8" |
| 54 | 7-6998 | ZERK, Fitting (2) |
| 55 | 1-6561 | BUSHING, 1" x 14 Ga. Machine (2) |


52" MOWER, FRONT DECK



52" MOWER, FRONT DECK

| ITEM | PART NO. | DESCRIPTION |
|------|----------|--|
| 1 | 5-2442 | HOOD w/Decals 52 |
| 2 | 1-9248 | CAP, Spindle (3) |
| 3 | 9-1049 | WING-NUT, 3/8-16 Nyloc (3) |
| 4 | 9-1111 | SCREW, 3/8-16 x 1-3/4" Hex Head Cap, Grade 8 (2) |
| 5 | 1-9160 | PULLEY, Idler (2) |
| 6 | 1-9317 | PULLEY, w/Set Screws (2) |
| 7 | 1-9320 | PULLEY, Double w/Set Screws |
| 8 | 1-6102 | BELT, Engine to Deck |
| 9 | 1-6101 | BELT, Cutter Spindle |
| 10 | 3-3189 | HANDLE, Hood (2) |
| 11 | 9-1044 | SCREW, 3/8-26 x 3-1/4" Hex Head Cap, Grade 5 (2) |
| 12 | 1-7161 | ROD, Belt Adjusting (2) |
| 13 | 4-0655 | ARM, Engine to Deck Idler Weldment |
| 14 | 9-0118 | WASHER, 3/8" Split Lock (14) |
| 15 | 7-6978 | NUT, 1/4-20 Hex Nyloc (6) |
| 16 | 9-0072 | SCREW, 1/4-20 x 5/8" Hex Head Cap, Grade 5 (4) |
| 17 | 1-6173 | SPACER, Pivot |
| 18 | 9-0613 | NUT, 3/8-16 Hex Flange lock (5) |
| 19 | 9-0517 | WASHER, 3/8" Flat (4) |
| 20 | 1-6886 | ROD |
| 21 | 9-0258 | NUT, 1/2-13 Hex (6) |
| 22 | 9-0252 | WASHER, 1/2" Lock (6) |
| 23 | 4-0654 | ARM, Blade to Blade Idler Weldment |
| 24 | 9-1132 | TAP BOLT, 3/8 x 5" (2) |
| 25 | 7-6533 | DECAL, Caution |
| 26 | 9-1131 | TAP BOLT, 3/8 x 4" |
| 27 | 3-8511 | SKIRT, Front L.H. |
| 28 | 3-8512 | SKIRT, Front R.H. |
| 29 | 9-1086 | SCREW, 3/8-16 x 3/4" Hex Head Cap, Grade 5 (8) |
| 30 | 9-1047 | WASHER, 3/8" Flat (8) |
| 31 | 1-9096 | CAP, Cutter Housing (6) |
| 32 | 9-1034 | SCREW, #10-24 x 1/2" Hex Washer Self-Tap (18) |
| 33 | 2-3548 | RING, Retaining (6) |
| 34 | 1-9125 | BEARING, Single Seal (6) |
| 35 | 2-2158 | HOUSING, Cutter (3) |
| 36 | 7-6997 | FITTING, 1/8" NPT Grease (3) |
| 37 | 7-6979 | NUT, 3/8-16 Hex Nyloc (12) |
| 38 | 1-9189 | SPINDLE, Cutter (3) |
| 39 | 7-6436 | SPACER, Blade (12) |
| 40 | 1-7037 | BLADE, 18" High Lift (3) |
| 41 | 1-6440 | WASHER, 5/8" Bevel (3) |
| 42 | 1-6447 | SCREW, 5/8-18 x 8-1/2 Hex Head Cap, Grade 5 (3) |
| 43 | 4-0648 | DECK, 52" Mowing |
| 44 | 4-0652 | DEFLECTOR, Chute |
| 45 | 9-0563 | SCREW, 3/8-16 x 1" Hex Head Cap, Grade 5 (2) |
| 46 | 1-3010 | DECAL, Warning |
| 47 | 1-7823 | DECAL, 52 Hood |
| 48 | 5-2569 | HOUSING, Asy. Cutter (Incl. Items 31 thru 36 & 38) |
| 49 | 7-6941 | SCREW, 3/8-16 x 1-1/4" Hex Head Cap, Grade 5 (12) |
| 50 | 1-6375 | KEY, Spindle (3) |
| 51 | 1-6912 | DECAL, Pro 52 |
| 52 | 9-0622 | BOLT, 1/2-13 x 1-1/4" Hex Flange Lock (6) |
| 53 | 1-3946 | RETAINER, 3/8" Rod |
| 54 | 7-6998 | FITTING, Grease (2) |
| 55 | 1-6561 | BUSHING, 1" x 14 Ga. Machine (2) |
| 56 | 7-6980 | NUT, 5/8-18 Hex |


61" MOWER, FRONT DECK



61" MOWER, FRONT DECK

| ITEM | PART NO. | DESCRIPTION |
|------|----------|---|
| 1 | 5-2443 | HOOD w/DECALS 61 |
| 2 | 1-9248 | CAP, Spindle |
| 3 | 9-1049 | NUT, 3/8 - 16 Wing (3) |
| 4 | 9-1111 | SCREW, 3/8" - 16 x 3/4", Gr. 8, Hex Head (3) |
| 5 | 1-9160 | PULLEY, Idler (2) |
| 6 | 1-6378 | PULLEY, w/Set Screw (2) |
| 7 | 1-6379 | PULLEY, Double w/Set Screw |
| 8 | 1-6104 | BELT, Engine to Deck 62.5" |
| 9 | 1-6103 | BELT, Cutter Spindle |
| 10 | 1-6432 | SPRING, Idler |
| 11 | 1-6561 | BUSHING, Machine 14 GA |
| 12 | 1-6434 | PIVOT, Deck Idler |
| 13 | 9-1126 | SCREW, 3/8" - 16 x 3 3/4", Hex Head Cap |
| 14 | 4-0666 | ARM, Idler |
| 15 | 2-7716 | STUD, Spring Mounting (2) |
| 16 | 4-0656 | ARM, Idler |
| 17 | 3-2948 | ARM, Tension |
| 18 | 1-7743 | SPACER |
| 19 | 9-1048 | SCREW, 3/8" - 16 x 5/8", Gr. 5, Hex Head |
| 20 | 9-1047 | WASHER, Flat (1 1/2" O.D.) (2) |
| 21 | 1-6457 | SPACER, Snubber |
| 22 | 1-6458 | BUMPER, Snubber |
| 23 | 1-4168 | SPRING, Blade HDL |
| 24 | 1-2125 | GUIDE, Plate |
| 25 | 3-2947 | BRACKET, Snubber (2) |
| 26 | 9-1132 | TAP BOLT, 3/8" x 5" (2) |
| 27 | 9-0613 | NUT, 3/8" - 16, Flange Lock (5) |
| 28 | 1-3946 | RETAINER, 3/8" (2) |
| 29 | 9-0655 | SCREW, 3/8" - 16 x 1 1/2", Hex Head Cap (3) |
| 30 | 9-0118 | WASHER, 3/8" Lock (6) |
| 31 | 9-0692 | WASHER, 5/16" Flat |
| 32 | 4-0649 | DECK |
| 33 | 1-9096 | CAP, Cutter Housing (6) |
| 34 | 9-1034 | SCREW, Self-Tapping, #10 - 24 x 1/2" (18) |
| 35 | 2-3548 | RING, Retaining (6) |
| 36 | 1-9125 | BEARING, Single Seal (6) |
| 37 | 2-2158 | HOUSING, Cutter (3) |
| 38 | 7-6997 | ZERK, 1/8 NPT (3) |
| 39 | 7-6979 | NUT, 3/8" Hex Nylon Ring (12) |
| 40 | 1-9189 | SPINDLE, Cutter (3) |
| 41 | 7-6436 | SPACER, Blade (12) |
| 42 | 1-7081 | BLADE, 21" High (3) |
| 43 | 1-6440 | WASHER, 5/8" Bevel (3) |
| 44 | 1-6447 | SCREW, 5/8" - 18 X 8 1/2" Hex Head Cap (3) |
| 45 | 4-0652 | DEFLECTOR, Chute |
| 46 | 9-0563 | SCREW, 3/8" - 16 x 1" Hex Head Cap (4) |
| 47 | 9-0517 | WASHER, 3/8" Flat (6) |
| 48 | 7-6533 | DECAL, Caution |
| 49 | 5-2369 | HOUSING, Cutter Assembly (Includes Items 33 thru 38 & 40) (3) |
| 50 | 7-6941 | SCREW, 3/8" - 16 x 1 1/4" Hex Head Cap (12) |
| 51 | 1-6375 | KEY, Spindle (3) |
| 52 | 1-7824 | DECAL, 61 Hood |
| 53 | 1-6915 | DECAL, Pro 61 |
| 54 | 9-0962 | NUT, 3/8" - 16 Flange Lock (2) |
| 55 | 1-6467 | BUMPER, Snubber |
| 56 | 7-6978 | NUT, 1/4" Hex Nylon Ring (4) |
| 57 | 9-0072 | SCREW, 1/4" x 5/8" Hex Head Cap (4) |
| 58 | 7-6998 | ZERK, 1/4" - 28 Straight |
| 59 | 2-3515 | SPACER, (2) |
| 60 | 7-6980 | NUT, 5/8" (3) |
| 61 | 9-0662 | BOLT, 1/2" - 13 x 1 1/4" Hex Flange Lock (6) |
| 62 | 9-0258 | NUT, 1/2" - 13 Hex (6) |
| 63 | 9-0252 | WASHER, 1/2" Lock (6) |
| 64 | 9-1131 | TAP BOLT, 3/8" x 4" |
| 65 | 3-3189 | HANDLE, Hood |
| 66 | 2-3381 | BUSHING, Taperlock (3) |

TRACTION WHEEL ASSEMBLY



TRACTION WHEEL ASSEMBLY

| ITEM | PART NO. | DESCRIPTION |
|------|----------|--|
| - | 5-1970 | WHEEL ASSEMBLY (Includes Items 1 thru 12) (2) |
| 1 | 1-7058 | WHEEL & RIM ASSEMBLY (Includes Items 2 thru 7) |
| 2 | 2-3518 | RIM ASSEMBLY (Includes Items 3 thru 6) |
| 3 | 1-2234 | VALVE STEM |
| 4 | 1-6239 | RIM |
| 5 | 1-9169 | BEARING, Wheel (2) |
| 6 | 7-6998 | ZERK FITTING |
| 7 | 2-3788 | TIRE, 6.50 x 13 - 6, 4 Ply, Tubeless |
| 8 | 7-6935 | SCREW, Hex Head Cap, 5/16" - 24 x 1 1/2 (4) |
| 9 | 9-0187 | WASHER, Lock, 5/16" (4) |
| 10 | 2-3516 | DRUM, Brake |
| 11 | 2-3515 | SPACER (4) |
| 12 | 2-3517 | PULLEY, 9" (2) |

DECAL KIT

SNAPPER®

PRO SERIES

PRO 36

PRO 52

PRO 48

PRO 61

REVERSE

N

1

2

3

4

TRANSPORT



REVERSE ASSIST

8



CAUTION



**TO AVOID INJURY
BEFORE MOWING:**

- READ OPERATOR'S MANUAL AND OTHER INSTRUCTIONS FURNISHED WITH THIS MACHINE AND THE ATTACHMENTS.
- PRACTICE WITH BLADE OFF TO LEARN CONTROLS AND PROPER OPERATION.
- MAKE SURE THAT GUARDS, CONTROLS, AND OTHER SAFETY DEVICES ARE IN PROPER POSITION AND FUNCTIONAL.
- CLEAR MOWING AREA OF WIRE, ROCKS, AND OTHER OBJECTS THAT COULD CAUSE INJURY IF THROWN BY BLADE.

PROTECT CHILDREN AND OTHER PEOPLE:

- DO NOT ALLOW CHILDREN (PRE-TEENAGERS) TO USE MACHINE. KEEP CHILDREN AND OTHERS SAFELY AWAY FROM OPERATING AREA.
- TEENAGERS, AND OTHER INEXPERIENCED OPERATORS, MUST BE CAREFULLY INSTRUCTED AND CLOSELY SUPERVISED.

BE CAREFUL ON SLOPES:

- DO NOT MOW ON ANY SLOPE OR OTHER AREA WHERE STABILITY OR TRACTION IS IN DOUBT.
- MOW ACROSS SLOPES, NOT UP AND DOWN.
- REDUCE SPEED AND AVOID SHARP TURNS ON SLOPES.
- DO NOT USE SULKY ON SLOPES.
- AVOID DITCHES AND OTHER DROP-OFFS.

AVOID CONTACT WITH ROTATING BLADE:

- STOP BLADE AND ENGINE BEFORE ATTEMPTING TO UNCLOG DISCHARGE OR PLACING HANDS OR FEET NEAR BLADE.
- DO NOT LEAVE OPERATOR'S POSITION UNLESS BLADE AND ENGINE ARE STOPPED.
- REMOVE KEY WHEN LEAVING MACHINE UNATTENDED.

1-8956

10



9


CAUTION



THE MOWER SHALL NOT BE OPERATED WITHOUT EITHER THE ENTIRE GRASS CATCHER OR THE CHUTE DEFLECTOR BOLTED IN PLACE. DO NOT REMOVE GRASS CATCHER UNTIL BLADE OR BLADES HAVE STOPPED.

76533

11



12

| ITEM | PART NO. | DESCRIPTION |
|------|----------|---|
| - | 6-1078 | DECAL KIT, Pro (Includes Items 1 thru 15) |
| 1 | 1-7821 | DECAL, 36 Hood |
| - | 1-7822 | DECAL, 48 Hood |
| - | 1-7823 | DECAL, 52 Hood |
| - | 1-7824 | DECAL, 61 Hood |
| 2 | 1-6908 | DECAL, Stripe 48 |
| - | 1-6911 | DECAL, Stripe 52 |
| - | 1-6914 | DECAL, Stripe 61 |
| 3 | 1-6906 | DECAL, Pro 36 |
| 4 | 1-6909 | DECAL, Pro 48 |
| 5 | 1-6912 | DECAL, Pro 52 |
| 6 | 1-6915 | DECAL, Pro 61 |
| 7 | 1-6183 | DECAL, Shift |
| 8 | 1-6212 | DECAL, Reverse Bail |
| 9 | 1-3010 | WARNING DECAL |
| 10 | 1-8956 | DECAL, Caution |
| 11 | 7-6533 | DECAL, Caution |
| 12 | 1-7827 | DECAL, Console |
| 13 | 1-7150 | DECAL, Pat. Pend. (Not Illustrated) |
| 14 | 1-7151 | DECAL, Lift Here (Not Illustrated) |
| 15 | 1-7825 | DECAL, Snapper (Not Illustrated) |



**PRO 8 MID-SIZE MOWERS
GEAR DRIVE SERIES 0**

SNAPPER®McDonough, GA., 30253 U.S.A.